


REMARKS

Claims 1-10 are pending, and the claims have been preliminarily amended to bring the claims into conformance with U.S. practice and to more particularly claim the present invention. Support for these amendments may be found in the original claims as filed and in the specification. These amended claims are not believed to introduce any new matter, and entry of these preliminary amendments is respectfully requested by the Applicants.


Respectfully submitted,

By 
Raymond J. Harmuth
Attorney for Applicants
Reg. No. 33,896

Bayer Corporation
100 Bayer Road
Pittsburgh, Pennsylvania 15205-9741
(412) 777-8366
FACSIMILE PHONE NUMBER:
(412) 777-5449
s:\shared\jmf\RJH6595

VERSION MARKED TO SHOW CHANGES

1. (Once Amended) ~~A~~ Substituted benzoylpyrazoles of the general formula (I),



in which

n represents the numbers 0, 1, 2 or 3,

A represents a single bond or represents alkanediyl (alkylene),

R¹ represents in each case optionally substituted alkyl, alkenyl, alkynyl or cycloalkyl,

R² represents hydrogen, cyano, carbamoyl, thiocarbamoyl, halogen, or represents in each case optionally substituted alkyl, alkoxy, alkylthio, alkoxycarbonyl or cycloalkyl,

R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, or represents in each case optionally substituted alkyl, alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylamino, dialkylamino or dialkyl-aminosulfonyl,

R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, or represents in each case optionally substituted alkyl, alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl, alkylamino, dialkylamino or dialkyl-aminosulfonyl,

Y represents hydrogen or represents in each case optionally substituted alkyl, alkylcarbonyl, alkoxycarbonyl, alkylsulfonyl, alkylamino-carbonyl, dialkylaminocarbonyl, alkenyl, alkenylcarbonyl, alkenylsulfonyl, alkynyl, alkynylcarbonyl, cycloalkyl, cycloalkylcarbonyl, cycloalkylalkyl, phenyl-carbonyl, phenylsulfonyl, phenylalkyl or phenylcarbonylalkyl, and

Z represents an optionally substituted 4- to 12-membered saturated or unsaturated monocyclic or bicyclic heterocyclic grouping which contains 1 to 4 heteroatoms (up to 4 nitrogen atoms and optionally - alternatively or additionally - one oxygen atom or one sulfur atom, or an SO grouping or an SO₂ grouping) and which additionally contains one to three oxo groups (C=O) and/or thioxo groups (C=S) as component of the heterocycle,

including ~~all possible~~ tautomeric forms and ~~the possible~~ salts thereof.

2. (Once Amended) The cCompounds according to Claim 1, ~~characterized in that~~ wherein

n represents the numbers 0, 1 or 2,

A represents a single bond or represents alkanediyl (alkylene) having 1 to 4 carbon atoms,


R¹ represents optionally cyano-, carboxyl-, carbamoyl-, halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkyl-carbonyl-, C₁-C₄-alkoxy-carbonyl-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulfinyl- or C₁-C₄-alkylsulfonyl-substituted alkyl having 1 to 6 carbon atoms, represents in each case optionally cyano-, carboxyl-,


carbamoyl-, halogen- or C₁-C₄-alkoxy-carbonyl-substituted alkenyl or alkynyl having in each case 2 to 6 carbon atoms, or represents optionally cyano-, carboxyl-, carbamoyl-, halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-carbonyl-substituted cycloalkyl having 3 to 6 carbon atoms,


- R² represents hydrogen, cyano, carbamoyl, thiocarbamoyl, halogen, represents in each case optionally cyano-, halogen- or C₁-C₄-alkoxy-substituted alkyl, alkoxy or alkoxycarbonyl having in each case up to 6 carbon atoms, represents optionally halogen-substituted alkylthio having 1 to 6 carbon atoms, or represents optionally cyano-, halogen- or C₁-C₄-alkyl-substituted cycloalkyl having 3 to 6 carbon atoms,
- R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, represents in each case optionally halogen, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulfinyl- or C₁-C₄-alkylsulfonyl-substituted alkyl, alkoxy, alkylthio, alkylsulfinyl or alkylsulfonyl having in each case up to 4 carbon atoms in the alkyl groups, or represents alkylamino, dialkylamino or dialkylaminosulfonyl having in each case up to 4 carbon atoms in the alkyl groups,
- R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, halogen, represents in each case optionally halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulfinyl- or C₁-C₄-alkylsulfonyl-substituted alkyl, alkoxy, alkylthio, alkylsulfinyl or alkylsulfonyl having in each case up to 4 carbon atoms in the alkyl groups, or represents alkylamino, dialkylamino or dialkylaminosulfonyl having in each case up to 4 carbon atoms in the alkyl groups,

Y represents hydrogen, represents in each case optionally cyano-, carboxyl-, carbamoyl-, halogen- or C₁-C₄-alkoxycarbonyl-substituted alkyl, alkylcarbonyl or alkoxycarbonyl having in each case up to 6 carbon atoms, represents in each case optionally halogen-substituted alkylsulfonyl, alkylaminocarbonyl or dialkylaminocarbonyl having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally cyano-, carboxyl-, carbamoyl-, halogen- or C₁-C₄-alkoxy-carbonyl-substituted alkenyl, alkenylcarbonyl, alkynyl or alkynyl-carbonyl having in each case 2 to 6 carbon atoms, represents optionally halogen-substituted alkenylsulfonyl having up to 6 carbon atoms represents in each case optionally cyano-, halogen- or C₁-C₄-alkyl-substituted cycloalkyl, cycloalkylcarbonyl or cycloalkylalkyl having in each case 3 to 6 carbon atoms in the cycloalkyl groups and optionally 1 to 3 carbon atoms in the alkyl moiety, or represents in each case optionally nitro-, cyano-, carboxyl-, carbamoyl-, halogen-, C₁-C₄-alkyl-, C₁-C₄-halogenoalkyl-, C₁-C₄-alkoxy- or C₁-C₄-halogenoalkoxy-substituted phenylcarbonyl, phenylsulfonyl, phenyl-C₁-C₄-alkyl or phenylcarbonyl-C₁-C₄-alkyl, and

Z represents one of the heterocyclic groupings below







in which in each case the broken bond is a single bond or a double bond,

Q represents oxygen or sulfur,

R⁵ represents hydrogen, hydroxyl, mercapto, cyano, halogen, represents in each case optionally cyano-, halogen-, C₁-C₄-alkoxy-, C₁-C₄-alkylthio-, C₁-C₄-alkylsulfinyl- or C₁-C₄-alkylsulfonyl-substituted alkyl, alkylcarbonyl, alkoxy, alkoxy-carbonyl, alkylthio, alkylsulfinyl or alkylsulfonyl having in each case up to 6 carbon atoms in the alkyl groups, represents propadienylthio, represents in each case optionally halogen-substituted alkylamino or dialkylamino having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally halogen-substituted alkenyl, alkynyl, alkenyloxy, alkenylthio or alkenylamino having in each case up to 6 carbon atoms in the alkenyl or alkynyl groups, represents in each case optionally halogen-substituted cycloalkyl, cycloalkyloxy, cycloalkylthio, cycloalkylamino, cycloalkylalkyl, cycloalkylalkoxy, cycloalkylalkylthio or cycloalkylalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl groups and optionally up to 4 carbon atoms in the alkyl moiety, represents in each case optionally halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted phenyl, phenyloxy, phenylthio, phenylamino, benzyl, benzyloxy, benzylthio or benzylamino, represents pyrrolidino, piperidino or

morpholino, or - if two adjacent radicals R⁵ and R⁵ are located on a double bond - together with the adjacent radical R⁵ also represents a benzo grouping, and

R⁶ represents hydrogen, hydroxyl, amino, alkylideneamino having up to 4 carbon atoms, represents in each case optionally halogen- or C₁-C₄-alkoxy-substituted alkyl, alkoxy, alkylamino, dialkylamino or alkanoylamino having in each case up to 6 carbon atoms in the alkyl groups, represents in each case optionally halogen-substituted alkenyl, alkynyl or alkenyloxy having in each case up to 6 carbon atoms in the alkenyl or alkynyl groups, represents in each case optionally halogen-substituted cycloalkyl, cycloalkylalkyl or cycloalkylamino having in each case 3 to 6 carbon atoms in the cycloalkyl groups and optionally up to 3 carbon atoms in the alkyl moiety, or represents in each case optionally halogen-, C₁-C₄-alkyl- or C₁-C₄-alkoxy-substituted phenyl or benzyl, or together with an adjacent radical R⁵ or R⁶ represents optionally halogen- or C₁-C₄-alkyl-substituted alkanediyl having 3 to 5 carbon atoms,

where the individual radicals R⁵ and R⁶ - if a plurality of these are attached to the same heterocyclic groupings, may have identical or different meanings within the scope of the above definition.

5. (Once Amended) The cCompounds according to claim 1 or 2, ~~characterized in that wherein~~

n represents the numbers 0 or 1,

A represents a single bond, methylene, ethylidene (ethane-1,1-diyl) or dimethylene (ethane-1,2-diyl),

R¹ represents in each case optionally fluorine-, chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulfinyl-, ethylsulfinyl-, n- or i-propylsulfinyl-, methylsulfonyl-, ethylsulfonyl-, n- or i-propylsulfonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine-, chlorine- or bromine-substituted propenyl, butenyl, propinyl or butinyl, or represents in each case optionally cyano-, fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl,

R² represents hydrogen, cyano, carbamoyl, thiocarbamoyl, represents in each case optionally cyano-, fluorine-, chlorine-, methoxy- or ethoxy-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, methoxy, ethoxy, n- or i-propoxy, methoxycarbonyl, ethoxycarbonyl, n- or i-propoxycarbonyl, represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio, or represents in each case optionally cyano-, fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl,

R³ represents hydrogen, nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, fluorine, chlorine, bromine, iodine, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulfinyl-, ethylsulfinyl-, methylsulfonyl- or ethylsulfonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-substituted methoxy,

ethoxy, n- or i-propoxy, represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio, methylsulfinyl, ethylsulfinyl, n- or i-propylsulfinyl, methylsulfonyl, ethylsulfonyl, n- or i-propylsulfonyl, or represents methylamino, ethylamino, n- or i-propylamino, dimethylamino, diethylamino, dimethylaminosulfonyl or diethylaminosulfonyl,

R⁴ represents nitro, cyano, carboxyl, carbamoyl, thiocarbamoyl, fluorine, chlorine, bromine, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-, methylthio-, ethylthio-, n- or i-propylthio-, methylsulfinyl-, ethylsulfinyl-, methylsulfonyl- or ethylsulfonyl-substituted methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, represents in each case optionally fluorine- and/or chlorine-, methoxy-, ethoxy-, n- or i-propoxy-substituted methoxy, ethoxy, n- or i-propoxy, represents in each case optionally fluorine- and/or chlorine-substituted methylthio, ethylthio, n- or i-propylthio, methylsulfinyl, ethylsulfinyl, n- or i-propylsulfinyl, methylsulfonyl, ethylsulfonyl, n- or i-propylsulfonyl, or represents methylamino, ethylamino, n- or i-propylamino, dimethylamino, diethylamino, dimethylaminosulfonyl or diethylaminosulfonyl,

R⁵ represents hydrogen, hydroxyl, chlorine, bromine, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, difluoromethyl, dichloromethyl, trifluoromethyl, trichloromethyl, chlorodifluoromethyl, fluorodichloromethyl, fluoroethyl, chloroethyl, difluoroethyl, dichloroethyl, fluoro-n-propyl, fluoro-i-propyl, chloro-n-propyl, chloro-i-propyl, methoxymethyl, ethoxymethyl, methoxyethyl, ethoxyethyl, methoxy, ethoxy, n- or i-propoxy, n-, i-, s- or t-butoxy, fluoroethoxy, chloroethoxy, difluoroethoxy, dichloroethoxy, trifluoroethoxy, trichloroethoxy, chlorofluoroethoxy, chlorodifluoroethoxy, fluorodichloroethoxy, methylthio, ethylthio, n- or i-propylthio, fluoroethylthio, chloroethylthio, difluoroethylthio, dichloro-


ethylthio, chlorofluoroethylthio, chlorodifluoroethylthio, fluorodichloroethylthio, methylsulfinyl, ethylsulfinyl, n- or i-propylsulfinyl, methylsulfonyl, ethylsulfonyl, n- or i-propylsulfonyl, dimethylamino, propenylthio, butenylthio, propinylthio, butinylthio, cyclopropyl, cyclopropylmethyl, cyclopropylmethoxy, phenyl or phenoxy,

R⁶ represents amino, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, methoxy, ethoxy, methylamino, dimethylamino, cyclopropyl or cyclopropylmethyl, or together with R⁵ represents propane-1,3-diyl (trimethylene), butane-1,4-diyl (tetramethylene) or pentane-1,5-diyl (pentamethylene), and

Y represents hydrogen, represents in each case optionally cyano-, fluorine-, chlorine-, methoxy- or ethoxy-substituted methyl, ethyl, n- or i-propyl, acetyl, propionyl, n- or i-butyryl, methoxycarbonyl or ethoxycarbonyl, represents in each case optionally fluorine-, chlorine- and/or bromine-substituted methylsulfonyl-, ethylsulfonyl-, n- or i-propylsulfonyl-, n-, i-, s- or t-butylsulfonyl-, methylaminocarbonyl, ethylaminocarbonyl, n- or i-propylaminocarbonyl, dimethylaminocarbonyl or diethylaminocarbonyl, represents in each case optionally fluorine-, chlorine- or bromine-substituted propenyl, butenyl, propenylcarbonyl, butenylcarbonyl, propenylsulfonyl, butenylsulfonyl, propinyl, butinyl, propinylcarbonyl or butinylcarbonyl, represents in each case optionally cyano-, fluorine-, chlorine-, methyl- or ethyl-substituted cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cyclopropylcarbonyl, cyclobutylcarbonyl, cyclopentylcarbonyl, cyclohexylcarbonyl, cyclopropylmethyl, cyclobutylmethyl, cyclopentylmethyl or cyclohexylmethyl, or represents in each case optionally nitro-, cyano-, fluorine-, chlorine-, bromine-, methyl-, ethyl-, n- or i-propyl-, n-, i-, s- or t-butyl-, trifluoromethyl-, methoxy-, ethoxy-, n- or i-propoxy-, difluoromethoxy- or trifluoromethoxy-substituted phenylcarbonyl, phenylsulfonyl, benzyl or phenylcarbonylmethyl.

6. (Once Amended) ~~The cCompounds~~ according to any of claims 1 to 3, ~~characterized in that~~ wherein

Z represents the grouping below




5. (Once Amended) ~~The cCompounds~~ according to any of claims 1 to 4, ~~characterized in that~~ wherein

Q represents oxygen.

6. (Once Amended) ~~The cCompounds~~ according to any of claims 1 to 5, ~~characterized in that~~ wherein n represents 0.
8. (Once Amended) ~~A pProcess~~ for preparing a compound according to any of claims 1 to 6, ~~characterized in that~~ comprising the step of :

(a) reacting a pyrazoles of the general formula (II)




in which

R¹, R² and Y are as defined in any of claims 1 to 3,

~~are reacted~~ with

a substituted benzoic acids of the general formula (III),




in which

n, A, R³, R⁴ and Z are as defined in any of claims 1 to 6,

in the presence of a dehydrating agent, ~~if appropriate~~ optionally in the presence of one or more reaction auxiliaries and ~~if appropriate~~ optionally in the presence of a diluent,

or ~~that~~

(b) reacting a pyrazoles of the general formula (II)




in which

R¹, R² and Y are as defined in any of claims 1 to 3,

~~are reacted~~ with

a member selected from the group consisting of a substituted benzoic acid derivatives of the general formula (IV)



in which

n, A, R³, R⁴ and Z are as defined in any of claims 1 to 6, and


X represents cyano, halogen or alkoxy,

~~—or with and corresponding carboxylic anhydrides thereof—~~

~~if appropriate optionally~~ in the presence of one or more reaction auxiliaries and ~~optionally if appropriate~~ in the presence of a diluent,

or that

(c) reacting a substituted benzoylpyrazoles of the general formula (Ia)



in which

n, A, R¹, R², R³, R⁴ and Z are as defined in any of claims 1 to 6,

~~are reacted with~~

a compounds of the general formula (V)



in which


Y is as defined in any of claims 1 to 4, except for hydrogen,

~~or, if appropriate, with~~ and optionally further comprising the step of including
as a reactant ~~corresponding isocyanates or isothiocyanates thereof~~ -

~~if appropriate~~ optionally in the presence of one or more reaction auxiliaries
and ~~if appropriate~~ optionally in the presence of a diluent,

and, ~~if appropriate,~~ optionally further comprising the step of subjecting the
resulting compounds of the formula (I) are subsequently subjected in a
customary manner to on or more reactions selected from the group consisting
of an electrophilic reaction, or a nucleophilic reaction, and/or an oxidation
reaction, or a reduction reactions and combinations thereof within the scope of
the definition of the substituents, or further comprising the step of converting the
compounds of the formula (I) ~~are converted in a customary manner~~ into a salts.

8. (Once Amended) A Compounds of the general formula (Ia)



in which

n, A, R¹, R², R³, R⁴ and Z are as defined in any of claims 1 to 6.

9. (Once Amended) An ~~H~~herbicidal compositions, ~~characterized in that they comprise comprising~~ at least one of the compounds according to any of claims 1 to 6 and ~~customary~~ an extenders.
10. (Once Amended) A method for controlling undesirable plants comprising the step of applying an herbicidally effective amount ~~Use of~~ at least one compound according to any of claims 1 to 6 ~~for controlling undesirable plants to a member selected from the group consisting of said plant and a habitat of said plant.~~